

Freeform Search

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
Database: EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:**Display:** 50 Documents in Display Format: Starting with Number 1**Generate:** Hit List Hit Count Side by Side Image

Search History

DATE: Sunday, December 16, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

| <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|---|--------------------------------------|------------------|-----------------|
| result set | | | |
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L16</u> | L13 and pulse and signal | 43 | <u>L16</u> |
| <u>L15</u> | L14 and modulator | 1 | <u>L15</u> |
| <u>L14</u> | L13 and pulse and signal | 43 | <u>L14</u> |
| <u>L13</u> | coil with electrohydraulic adj valve | 82 | <u>L13</u> |
| <u>L12</u> | electrohydraulic adj valve | 1177 | <u>L12</u> |
| <u>L11</u> | L8 and electrohydraulic adj valve | 0 | <u>L11</u> |
| <u>L10</u> | eletrohydraulic adj valve | 0 | <u>L10</u> |
| <u>L9</u> | L8 and eletrohydraulic adj valve | 0 | <u>L9</u> |
| <u>L8</u> | accumulator adj resets | 870 | <u>L8</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents |
|----------------|-----------|
| L16 and resets | 17 |

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L17

Search History

DATE: Sunday, December 16, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

| <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|---|--------------------------------------|------------------|-----------------|
| side by side | | | result set |
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L17</u> | L16 and resets | 17 | <u>L17</u> |
| <u>L16</u> | L13 and pulse and signal | 43 | <u>L16</u> |
| <u>L15</u> | L14 and modulator | 1 | <u>L15</u> |
| <u>L14</u> | L13 and pulse and signal | 43 | <u>L14</u> |
| <u>L13</u> | coil with electrohydraulic adj valve | 82 | <u>L13</u> |
| <u>L12</u> | electrohydraulic adj valve | 1177 | <u>L12</u> |
| <u>L11</u> | L8 and electrohydraulic adj valve | 0 | <u>L11</u> |
| <u>L10</u> | eletrohydraulic adj valve | 0 | <u>L10</u> |
| <u>L9</u> | L8 and eletrohydraulic adj valve | 0 | <u>L9</u> |
| <u>L8</u> | accumulator adj resets | 870 | <u>L8</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents |
|-----------------------------------|-----------|
| L8 and pulse adj width adj signal | 2 |

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L18

Refine Search

Recall Text Clear Interrupt

Search History

DATE: Sunday, December 16, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

| <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|--|--------------------------------------|------------------|-----------------|
| side by side | | | result set |
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR | | | |
| <u>L18</u> | L8 and pulse adj width adj signal | 2 | <u>L18</u> |
| <u>L17</u> | L16 and resets | 17 | <u>L17</u> |
| <u>L16</u> | L13 and pulse and signal | 43 | <u>L16</u> |
| <u>L15</u> | L14 and modulator | 1 | <u>L15</u> |
| <u>L14</u> | L13 and pulse and signal | 43 | <u>L14</u> |
| <u>L13</u> | coil with electrohydraulic adj valve | 82 | <u>L13</u> |
| <u>L12</u> | electrohydraulic adj valve | 1177 | <u>L12</u> |
| <u>L11</u> | L8 and electrohydraulic adj valve | 0 | <u>L11</u> |
| <u>L10</u> | electrohydraulic adj valve | 0 | <u>L10</u> |
| <u>L9</u> | L8 and electrohydraulic adj valve | 0 | <u>L9</u> |
| <u>L8</u> | accumulator adj resets | 870 | <u>L8</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents |
|-------------------|-----------|
| L24 and modulat\$ | 1 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

| | |
|--|--|
| <input type="text" value="L25"/> | <input type="button" value="Refine Search"/> |
| <input type="button" value="Recall Text"/> <input type="button" value="Clear"/> <input type="button" value="Interrupt"/> | |

Search History

DATE: Sunday, December 16, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name **Query**

side by side

Hit Count **Set Name**

result set

| | |
|---|--|
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | |
| <u>L25</u> | L24 and modulat\$ |
| <u>L24</u> | L23 and finite adj impulse adj response and feedback |
| <u>L23</u> | L22 and average |
| <u>L22</u> | (5,012,722 7,247,955 3,866,214 6,249,418).pn. |
| <u>L21</u> | (5,012,722 7,247,955 3,866,214 6,249,418).pn. and finite |
| <u>L20</u> | 10/751,312 |
| <u>L19</u> | 6,249,418.pn. |
| <u>L18</u> | L8 and pulse adj width adj signal |
| <u>L17</u> | L16 and resets |
| <u>L16</u> | L13 and pulse and signal |
| <u>L15</u> | L14 and modulator |
| <u>L14</u> | L13 and pulse and signal |
| <u>L13</u> | coil with electrohydraulic adj valve |
| <u>L12</u> | electrohydraulic adj valve |

| | | | |
|------------|-----------------------------------|-----|------------|
| <u>L11</u> | L8 and electrohydraulic adj valve | 0 | <u>L11</u> |
| <u>L10</u> | eletrohydraulic adj valve | 0 | <u>L10</u> |
| <u>L9</u> | L8 and eletrohydraulic adj valve | 0 | <u>L9</u> |
| <u>L8</u> | accumulator adj resets | 870 | <u>L8</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents |
|------------------|-----------|
| L25 and averag\$ | 1 |

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search: L26

Search History

DATE: Sunday, December 16, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

| Set Name | Query | Hit Count | Set Name |
|------------|--|-----------|------------|
| | | | result set |
| <u>L26</u> | L25 and averag\$ | 1 | <u>L26</u> |
| <u>L25</u> | L24 and modulat\$ | 1 | <u>L25</u> |
| <u>L24</u> | L23 and finite adj impulse adj response and feedback | 1 | <u>L24</u> |
| <u>L23</u> | L22 and average | 4 | <u>L23</u> |
| <u>L22</u> | (5,012,722 7,247,955 3,866,214 6,249,418).pn. | 10 | <u>L22</u> |
| <u>L21</u> | (5,012,722 7,247,955 3,866,214 6,249,418).pn. and finite | 1 | <u>L21</u> |
| <u>L20</u> | 10/751,312 | 0 | <u>L20</u> |
| <u>L19</u> | 6,249,418.pn. | 2 | <u>L19</u> |
| <u>L18</u> | L8 and pulse adj width adj signal | 2 | <u>L18</u> |
| <u>L17</u> | L16 and resets | 17 | <u>L17</u> |
| <u>L16</u> | L13 and pulse and signal | 43 | <u>L16</u> |
| <u>L15</u> | L14 and modulator | 1 | <u>L15</u> |
| <u>L14</u> | L13 and pulse and signal | 43 | <u>L14</u> |
| <u>L13</u> | coil with electrohydraulic adj valve | 82 | <u>L13</u> |

| | | | |
|------------|-----------------------------------|------|------------|
| <u>L12</u> | electrohydraulic adj valve | 1177 | <u>L12</u> |
| <u>L11</u> | L8 and electrohydraulic adj valve | 0 | <u>L11</u> |
| <u>L10</u> | eletrohydraulic adj valve | 0 | <u>L10</u> |
| <u>L9</u> | L8 and eletrohydraulic adj valve | 0 | <u>L9</u> |
| <u>L8</u> | accumulator adj resets | 870 | <u>L8</u> |

END OF SEARCH HISTORY

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

| Terms | Documents |
|-----------------|-----------|
| L26 and sampl\$ | 1 |

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Sunday, December 16, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name **Query**
side by side

Hit Count **Set Name**
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

| | | | |
|------------|--|----|------------|
| <u>L27</u> | L26 and sampl\$ | 1 | <u>L27</u> |
| <u>L26</u> | L25 and averag\$ | 1 | <u>L26</u> |
| <u>L25</u> | L24 and modulat\$ | 1 | <u>L25</u> |
| <u>L24</u> | L23 and finite adj impulse adj response and feedback | 1 | <u>L24</u> |
| <u>L23</u> | L22 and average | 4 | <u>L23</u> |
| <u>L22</u> | (5,012,722 7,247,955 3,866,214 6,249,418).pn. | 10 | <u>L22</u> |
| <u>L21</u> | (5,012,722 7,247,955 3,866,214 6,249,418).pn. and finite | 1 | <u>L21</u> |
| <u>L20</u> | 10/751,312 | 0 | <u>L20</u> |
| <u>L19</u> | 6,249,418.pn. | 2 | <u>L19</u> |
| <u>L18</u> | L8 and pulse adj width adj signal | 2 | <u>L18</u> |
| <u>L17</u> | L16 and resets | 17 | <u>L17</u> |

| | | | |
|------------|--------------------------------------|------|------------|
| <u>L16</u> | L13 and pulse and signal | 43 | <u>L16</u> |
| <u>L15</u> | L14 and modulator | 1 | <u>L15</u> |
| <u>L14</u> | L13 and pulse and signal | 43 | <u>L14</u> |
| <u>L13</u> | coil with electrohydraulic adj valve | 82 | <u>L13</u> |
| <u>L12</u> | electrohydraulic adj valve | 1177 | <u>L12</u> |
| <u>L11</u> | L8 and electrohydraulic adj valve | 0 | <u>L11</u> |
| <u>L10</u> | eletrohydraulic adj valve | 0 | <u>L10</u> |
| <u>L9</u> | L8 and eletrohydraulic adj valve | 0 | <u>L9</u> |
| <u>L8</u> | accumulator adj resets | 870 | <u>L8</u> |

END OF SEARCH HISTORY